

SENDER TRANSMITTER EMETTEUR	MESSGRÖSSE MEASURED VARIABLE GRANDEUR A MESURER	BATTERIE BATTERY PILE	ABMESSUNG MEASUREMENTS DIMENSIONS	GEWICHT WEIGHT POIDS	
30.3120.30 30.3120.90 FÜR / FOR / POUR	T DISPLAY KABEL T DISPLAY	⇨ 2x 1,5 V AAA ⇨ 2x 1,5 V AAA 30.3009, 30.3012, 30.3014, 30.3015, 30.3016, 30.3018, 30.3019, 35.1018, 35.1024, 35.1026, 35.1032, 35.1035, 35.1037, 35.1041, 35.1044, 35.1048, 35.1053, 35.1064, 98.1006, 98.1011, 98.1032	☒ 40 x 28 x 133 MM ☒ 40 x 28 x 133 MM	75 g 63 g	EK EK-EL
30.3125 FÜR / FOR / POUR	T/H DISPLAY	⇨ 2x 1,5 V AA 30.3013, 30.3015, 35.1031, 35.1033, 35.1036, 35.1040, 35.1045	☒ 44 (76) x 20 (28) x 155 (160) MM	78 g	EK-EL
30.3126 FÜR / FOR / POUR	T/H DISPLAY	⇨ 2x 1,5 V AA 30.3043, 35.1060, 35.1075, 35.1095, 35.1100, 35.1101, 35.1106, 35.1116, 35.1127, 98.1034, 98.1035	☒ 60 x 32 x 111 MM	70 g	EK
30.3127 FÜR / FOR / POUR	T DISPLAY	⇨ 2x 1,5 V AA 35.1060, 35.1062, 35.1063, 35.1094, 35.1107, 35.1116, 35.1130, 35.1131, 98.1034, 98.1035	☒ 60 x 32 x 111 MM	70 g	EK
30.3139 FÜR / FOR / POUR	T DISPLAY	⇨ 2x 1,5 V AAA 30.3033, 35.1057, 35.1058, 35.1066, 35.1071, 35.1085	☒ 61 x 30 (45) x 96 MM	63 g	EK
30.3148 FÜR / FOR / POUR	R	⇨ 2x 1,5 V AA 35.1075, 35.1095, 35.1100	☒ 160 x 120 x 175 MM	319 g	EK
30.3149 FÜR / FOR / POUR	W	⇨ 2x 1,5 V AA 35.1075, 35.1095	260 x 490 x 472 MM	351 g	EK
30.3150 FÜR / FOR / POUR	T/H DISPLAY	⇨ 2x 1,5 V AA 35.1075, 35.1095, 35.1100	☒ 60 x 32 x 111 MM	70 g	EK
30.3157 FÜR / FOR / POUR	T DISPLAY	☒ 2x 1,5 V AAA 35.1079	☒ 69 x 29 x 90 MM	82 g	EK-EL
30.3160 FÜR / FOR / POUR	POOL DISPLAY	⇨ 2x 1,5 V AA 30.3033, 35.1057, 35.1066, 35.1071	Ø 120 x 155 MM	210 g	EK
30.3161 FÜR / FOR / POUR	R	⇨ 2x 1,5 V AA 47.3003	☒ Ø 132 x 160 MM	247 g	EK
30.3163 FÜR / FOR / POUR	T	☒ 2x 1,5 V AAA 30.3034	☒ 36 (46) x 16 (30) x 120 (123) MM	33 g	EK-EL
30.3166 FÜR / FOR / POUR	T/H DISPLAY	☒ 2x 1,5 V AAA 35.1083	☒ 69 x 29 x 90 MM	82 g	EK
30.3167 FÜR / FOR / POUR	T	⇨ 2x 1,5 V AA 35.1093	☒ 75 x 27 x 93 MM	87 g	EK
30.3168 FÜR / FOR / POUR	W/SOLAR	⇨ BACK-UP 2x 1,5 V AA 35.1075, 35.1095, 35.1100	370 x 260 x 425 MM	430 g	EK
30.3169 FÜR / FOR / POUR	T/H DISPLAY	⇨ 2x 1,5 V AA 35.1098	☒ 60 x 25 x 90 MM	55 g	EK
30.3177 FÜR / FOR / POUR	T/H - T KABEL	⇨ 2x 1,5 V AA 35.1060, 35.1075, 35.1095, 35.1100, 35.1101, 98.1034, 98.1035	☒ 59 x 30 x 110 MM	118 g	EK
30.3179 FÜR / FOR / POUR	T	☒ 2x 1,5 V AA 30.3041	☒ 69 x 25 x 93 MM	50 g	EK
30.3186 FÜR / FOR / POUR	T	⇨ 2x 1,5 V AA 35.1110	☒ 75 x 27 x 93 MM	85 g	EK
30.3193 FÜR / FOR / POUR	T	☒ 2x 1,5 V AAA 30.3047, 30.3048, 60.4510	☒ 63 x 24 (35) x 102 MM	62 g	EK
30.3194 FÜR / FOR / POUR	T DISPLAY	☒ 2x 1,5 V AAA 35.1123 (< 06/2013)	☒ 66 x 21 (65) x 100 MM	55 g	EK
30.3194.54.52 FÜR / FOR / POUR	T DISPLAY	☒ 2x 1,5 V AAA 35.1123 (> 10/2013)	☒ 66 x 21 (65) x 100 MM	55 g	EK
30.3195 FÜR / FOR / POUR	T/H DISPLAY	☒ 2x 1,5 V AAA 30.3049	☒ 63 x 24 (35) x 102 MM	62 g	EK
30.3196 FÜR / FOR / POUR	T/H	☒ 2x 1,5 V AA 35.1122, 35.1128	☒ 53 x 26 x 105 MM	50 g	EK
30.3197 FÜR / FOR / POUR	T	☒ 2x 1,5 V AAA 30.3051	☒ 56 x 25 (55) x 90 MM	53 g	EK
30.3198 FÜR / FOR / POUR	T/H	☒ 2x 1,5 V AAA 30.3052	☒ 56 x 25 (55) x 90 MM	53 g	EK
30.3200 FÜR / FOR / POUR	T/H DISPLAY	☒ 2x 1,5 V AA 35.1126	☒ 69 x 25 (70) x 105 MM	80 g	EK
30.3201 FÜR / FOR / POUR	T DISPLAY KABEL	⇨ 2x 1,5 V AAA 14.1504	☒ 63 x 23 (68) x 85 MM	60 g	EK
30.3202 FÜR / FOR / POUR	VIBRATION	AKKU 60.2521	33 x 10 x 45 MM	13 g	EK
30.3205 FÜR / FOR / POUR	T/H DISPLAY	☒ 2x 1,5 V AA 35.1122, 35.1128	☒ 53 x 25 x 105 MM	52 g	EK
30.3207.02 FÜR / FOR / POUR	T	☒ 2x 1,5 V AAA 35.1133	☒ 40 x 24 x 92 MM	29 g	EK

T = TEMPERATUR
T = TEMPERATURE
T = TEMPERATURE



H = FEUCHE
H = HUMIDITY
H = HUMIDITÉ

W = WIND
W = WIND
W = VENT



R = REGENMENGE
R = RAINFALL
R = QUANTITE DE PLUIE



SENDER TRANSMITTER EMETTEUR	MESSGRÖSSE MEASURED VARIABLE GRANDEUR A MESURER	BATTERIE BATTERY PILE	ABMESSUNG MEASUREMENTS DIMENSIONS	GEWICHT WEIGHT POIDS	
30.3208.02 FÜR / FOR / POUR	T/H DISPLAY	☞ 2x 1,5 V AAA 30.3054, 30.3056	☐ 45 x 20 x 110 mm	52 g	EK-EL
30.3209.02 FÜR / FOR / POUR	T/H DISPLAY	☞ 2x 1,5 V AAA 35.1134	☐ 61 x 28 x 92 mm	54 g	EK
30.3210.10 FÜR / FOR / POUR	T DISPLAY	☞ 2x 1,5 V AAA 30.3047, 30.3048, 60.4510	☐ 63 x 24 (35) x 102 mm	64 g	EK
30.3211.02 FÜR / FOR / POUR	T/H DISPLAY	☞ 2x 1,5 V AA 35.1135	☐ 63 x 35 x 100 mm	78 g	EK
30.3212.02 FÜR / FOR / POUR	T DISPLAY	☞ 2x 1,5 V AAA 30.3055	☐ 61 x 28 x 92 mm	54 g	EK
30.3215.02 FÜR / FOR / POUR	T/H	☞ 2x 1,5 V AAA 35.1136, 35.1141.01, 35.1142.01	☐ 45 x 20 x 108 mm	45 g	EK-EL
30.3216.20 FÜR / FOR / POUR	POOL DISPLAY	☞ 4x 1,5 V AAA 30.3054, 30.3056	☐ 95 x 106 x 220 mm	290 g	EK
30.3220.02 FÜR / FOR / POUR	T	☞ 2x 1,5 V AAA 30.3061	☐ 56 x 21 (65) x 91 mm	46 g	EK
30.3221.02 FÜR / FOR / POUR	T/H	☞ 2x 1,5 V AA 30.3057.01, 30.3058.01, 35.1129, 35.1139.01, 35.1140.01	☐ 40 x 21 x 130 mm	47 g	EK
30.3222.02 FÜR / FOR / POUR	T/H/W	☞ 2x 1,5 V C 35.1140.01	☐ 468 x 141 x 163 mm	439 g	EK
30.3225.10 FÜR / FOR / POUR	T DISPLAY	☞ 2x 1,5 V AA 47.3004.01	☐ 43 x 21 x 156 mm	66 g	EK
30.3226.10 FÜR / FOR / POUR	R	☞ 2x 1,5 V AA 47.3004.01	☐ 155 x 107 x 134 mm	267 g	EK
30.3228.02 FÜR / FOR / POUR	T DISPLAY	☞ 2x 1,5 V AAA 30.3062.10	☐ 45 x 20 x 111 mm	52 g	EK
30.3229.02 FÜR / FOR / POUR	T DISPLAY KABEL	☞ 2x 1,5 V AAA 30.3062.10	☐ 45 x 20 x 92 mm	61 g	EK
30.3231.01 FÜR / FOR / POUR	T DISPLAY 2X KABEL	☞ 2x 1,5 V AAA 14.1511.01	☐ 60 x 24 x 122 mm	66 g	EK
30.3232.02 FÜR / FOR / POUR	T	☞ 2x 1,5 V AA 30.3063.01	☐ 40 x 21 x 130 mm	47 g	EK
30.5045.54 FÜR / FOR / POUR	T / H	☞ 2x 1,5 V AAA 30.3054.10, 30.3056.10, 30.3062.10	☐ 64 x 18 (40) x 109 mm	65 g	EK-EL

IT 868 MHz	30.3143.IT FÜR / FOR / POUR	868 MHz T DISPLAY DUALCHANNEL	☞ 2x 1,5 V AAA 30.3009.IT, 30.3018.IT, 30.3022.IT, 30.3032.IT, 30.3050.54.IT, 35.1026.IT, 35.1044.IT, 35.1048.IT, 35.1064.IT, 35.1068.IT, 35.1070.IT, 35.1076.IT	☐ 41 (83) x 23 (61) x 128 (135) mm	52 g	EK-EL
	30.3144.IT FÜR / FOR / POUR	868 MHz T/H DISPLAY	☞ 2x 1,5 V AA 30.3013.IT, 35.1036.IT, 35.1045.IT, 35.1070.IT, 35.1078.IT	☐ 44 (76) x 24 (56) x 160 (165) mm	75 g	EK-EL
	30.3146.IT FÜR / FOR / POUR	868 MHz T DUALCHANNEL	☞ 2x 1,5 V AAA 30.3009.IT, 30.3018.IT, 30.3022.IT, 30.3032.IT, 30.3050.54.IT, 35.1026.IT, 35.1044.IT, 35.1048.IT, 35.1064.IT, 35.1068.IT, 35.1070.IT, 35.1076.IT, 30.3050.54.IT	☐ 41 (83) x 23 (61) x 128 (135) mm	50 g	EK-EL
	30.3147.IT FÜR / FOR / POUR	868 MHz T	☞ 2x 1,5 V AA 30.3009.IT, 30.3016.IT, 30.3018.IT, 30.3022.IT, 30.3030.IT, 30.3032.IT, 30.3037.IT, 35.1026.IT, 35.1044.IT, 35.1048.IT, 35.1064.IT, 35.1068.IT, 35.1076.IT, 35.1084.IT, 35.1089.IT, 35.1115.IT, 35.1117.IT, 35.1125.IT, 98.1006.IT	☐ 39 (51) x 21 (46) x 129 (135) mm	45 g	EK-EL
	30.3164.IT FÜR / FOR / POUR	868 MHz T	☞ 2x 1,5 V AAA 30.3036.IT, 30.3040.IT	☐ 33 (39) x 17 (34) x 87 (92) mm	24 g	EK
	30.3180.IT FÜR / FOR / POUR	868 MHz T/H DISPLAY	☞ 2x 1,5 V AA 30.3039.IT, 30.3060.IT	☐ 44 (76) x 24 (56) x 160 (165) mm	75 g	EK-EL
	30.3181.IT FÜR / FOR / POUR	868 MHz T KABEL	☞ 2x 1,5 V AAA 30.3039.IT, 30.3053.IT, 30.3060.IT	☐ 41 (83) x 23 (61) x 128 (135) mm	52 g	EK-EL
	30.3183.IT FÜR / FOR / POUR	868 MHz T/H DISPLAY	☞ SOLAR 2x 1,5 V AAA 30.3042.IT	☐ 36 (42) x 17 (35) x 103 (108) mm	34 g	EK
	30.3187.IT FÜR / FOR / POUR	868 MHz T/H DISPLAY	☞ 2x 1,5 V AAA 30.3044.IT, 30.3045.IT, 35.1109.IT, 35.1111.IT, 35.1113.IT, 35.1121.IT	☐ 36 (42) x 17 (35) x 103 (108) mm	34 g	EK
	30.3199.IT FÜR / FOR / POUR	POOL DISPLAY	☞ 2x 1,5 V AA 30.3039.IT, 30.3053.IT	110 x 115 x 135 mm	242 g	EK
	30.3224.02.IT FÜR / FOR / POUR	T/H	☞ 2x 1,5 V AA 35.1143.01.IT, 35.1147.01.IT, 35.1148.01.IT	☐ 39 (51) x 21 (46) x 129 (135) mm	42 g	EK

T = TEMPERATUR
T = TEMPERATURE
T = TEMPERATURE



H = FEUCHE
H = HUMIDITY
H = HUMIDITÉ

W = WIND
W = WIND
W = VENT



R = REGENMENGE
R = RAINFALL
R = QUANTITE DE PLUIE



SENDER TRANSMITTER EMETTEUR	MESSGRÖSSE MEASURED VARIABLE GRANDEUR A MESURER	BATTERIE BATTERY PILE	ABMESSUNG MEASUREMENTS DIMENSIONS	GEWICHT WEIGHT POIDS	
WD ▲ 30.3155.WD FÜR / FOR / POUR	868 MHz T/H DISPLAY	2x 1,5 V AA	39 (51) x 21 (46) x 129 (135) mm	45 G	EK
▼ 30.3156.WD FÜR / FOR / POUR	868 MHz T	2x 1,5 V AA	39 (51) x 21 (46) x 129 (135) mm	45 G	EK-EL

NR. NO. Nº.	EINZELTEIL COMPONENT PIECE DETACHEE	FÜR FOR POUR	KABELLÄNGE CABLE LENGTH LONGUEUR DE CABLE	GEWICHT WEIGHT POIDS	
30.3175	USB	30.3039.IT, 35.1099.IT, 35.1112.IT	23 x 9 x 82 mm	11 G	POLYBEUTEL
30.3501	T KABEL	30.3143.IT, 30.3146.IT, 30.3181.IT	CA. 2,0 M	10 G	POLYBEUTEL
30.3502	T KABEL	30.3133, 30.3139	CA. 1,5 M	12 G	POLYBEUTEL
30.3506	T KABEL	14.1500	CA. 1,0 M	20 G	POLYBEUTEL
30.3517	T KABEL	14.1504	CA. 0,8 M	21 G	POLYBEUTEL
30.3518	T KABEL	14.1502	CA. 1,0 M	20 G	POLYBEUTEL
30.3520	T KABEL	14.1503	CA. 1,0 M	33 G	POLYBEUTEL
30.3521	T KABEL	30.3302.02 (WEATHERHUB)	CA. 1,5 M	8 G	POLYBEUTEL
30.3522	T KABEL	14.1552.01	CA. 1,0 M	39 G	POLYBEUTEL
30.3523	T KABEL	14.1509	CA. 1,0 M	21 G	EK
30.3526	T KABEL	14.1511.01	CA. 1,0 M	24 G	EK
30.3527	T KABEL	14.1510.02	CA. 1,2 M	29 G	EK
K1.100692	W WINDRAD	35.1075, 35.1095, 35.1100		34 G	POLYBEUTEL
K1.100693	W WINDRAD	30.3307.02, 35.1067.IT, 35.1099.IT, 35.1112.IT		19 G	POLYBEUTEL
K1.100786	WINDFAHNE	35.1075, 35.1095, 35.1100		44 G	POLYBEUTEL





30.3200



30.3201



30.3202



30.3205



30.3207.02



30.3208.02



30.3209.02



30.3210.10



30.3211.02



30.3212.02



30.3215.02



30.3216.20



30.3220.02



30.3221.02 (3CH)



30.3222.02



30.3225.10



30.3226.10



30.3228.02



30.3229.02



30.3231.01



30.3232.02



30.5045.54



30.3143.IT



30.3144.IT



30.3146.IT



30.3147.IT



30.3164.IT



30.3180.IT



30.3181.IT
mit Kabel



30.3183.IT



30.3187.IT



30.3199.IT



30.3224.02.IT



30.3155.WD



30.3156.WD